

ROLL CODE : 105

ROLL NAME : CHANDRAKONA VIDYASAGAR MAHAVIDYALAYA, CHANDRAKONA

Page No : 1

Roll	Result	SGPA (SEM-6)	CGPA / Failed in Course(s)	Roll	Result	SGPA (SEM-6)	CGPA / Failed in Course(s)
116105-				116105-			
180002	Q	9.00	7.80	180078	Q	9.25	7.39
180005	Q	9.25	7.75	180080	Q	9.00	7.55
180006	Q	9.00	6.62	180081	Q	9.00	7.77
180009	Q	9.00	7.24	180082	Q	9.00	7.72
180011	Q	9.50	8.54	180083	Q	9.00	7.46
180012	Q	9.75	7.93	180084	Q	9.00	7.03
180013	Q	9.25	7.89	180085	Q	9.00	7.80
180014	Q	9.00	6.87	180086	Q	9.00	7.55
180015	Q	9.25	7.83	180089	Q	9.25	6.55
180016	Q	9.00	6.83	180090	Q	9.50	6.75
180017	Q	9.00	7.04	180094	Q	9.00	7.11
180019	Q	9.00	7.11	180095	Q	9.00	7.28
180021	Q	9.50	7.51	180096	Q	9.00	7.27
180023	Q	9.00	7.59	180097	Q	9.25	7.18
180024	Q	9.00	8.03	180099	Q	9.00	7.52
180025	Q	9.00	7.48	180101	Q	9.25	7.96
180026	Q	9.00	7.65	180103	Q	9.50	7.24
180027	Q	9.00	7.77	180104	Q	9.00	7.20
180028	Q	9.00	7.90	180105	Q	9.00	7.58
180029	Q	9.00	7.44	180106	Q	9.00	8.03
180031	Q	9.25	7.70	180107	Q	10.0	8.99
180032	Q	9.00	7.72	180108	Q	9.00	7.23
180033	Q	9.25	7.13	180109	Q	8.50	8.23
180035	Q	9.25	7.79	180112	Q	7.25	6.58
180036	Q	9.00	7.31	180113	Q	8.75	8.93
180038	Q	9.25	7.46	180114	Q	9.25	8.56
180040	Q	9.50	7.70	180119	Q	9.00	8.37
180041	Q	9.00	7.20	180120	Q	7.50	8.14
180042	Q	9.25	7.13	180121	Q	8.25	7.80
180043	Q	9.00	7.62	180122	Q	8.25	7.92
180045	Q	9.25	8.01	180123	Q	9.00	8.06
180046	Q	9.50	8.08	180124	Q	8.75	8.03
180047	Q	9.00	7.79	180125	Q	8.50	8.46
180048	Q	9.25	7.99	180126	Q	8.50	7.77
180049	Q	9.00	7.69	180127	Q	8.75	8.11
180050	Q	9.50	7.93	180128	Q	7.75	6.80
180051	Q	9.00	7.44	180131	Q	8.50	7.68
180052	Q	9.75	8.54	180132	Q	8.00	7.44
180053	Q	9.50	7.59	180133	Q	9.25	8.45
180054	Q	9.00	7.82	180134	Q	8.50	7.14
180055	Q	9.00	7.62	180139	Q	8.50	7.18
180056	Q	9.00	7.41	180140	Q	8.25	7.14
180057	Q	9.00	7.61	180141	Q	8.25	7.30
180058	Q	9.00	7.35	180142	Q	8.50	6.94
180059	Q	9.00	7.37	180143	Q	8.75	7.19
180060	Q	9.00	7.14	180145	Q	8.50	7.39
180061	Q	9.00	7.56	180146	Q	7.00	8.97
180062	Q	9.25	7.87	180148	Q	8.50	7.96
180063	Q	9.25	7.87	180150	Q	8.50	7.24
180064	Q	9.00	7.88	180153	Q	8.50	7.63
180065	Q	9.00	7.66	180154	Q	8.25	7.15
180066	Q	9.00	7.93	180157	Q	8.25	7.07
180067	Q	9.25	7.65	180159	Q	9.00	7.85
180069	Q	9.00	7.15	180161	Q	8.25	7.62
180070	Q	9.00	7.39	180162	Q	8.50	7.13
180073	Q	9.00	7.39	180163	Q		
180075	Q	9.00	7.39	180164	Q		

CODE : 105

NAME : CHANDRAKONA VIDYASAGAR MAHAVIDYALAYA, CHANDRAKONA

Page No : 2

Sl	Result	SGPA (SEM-5)	CGPA / Failed in Course(s)	Roll	Result	SGPA (SEM-5)	CGPA / Failed in Course(s)
105-							
0170	Q	8.50	7.52	180262	Q	9.00	7.44
0171	Q	8.30	7.31	180263	Q	9.00	6.76
0172	Q	8.75	7.68	180264	Q	8.75	8.08
0173	Q	8.25	7.38	180265	Q	9.50	7.94
0174	Q	8.75	7.62	180266	Q	9.50	8.46
0176	Q	8.00	6.38	180268	Q	9.25	8.13
0179	Q	8.75	7.96	180271	Q	9.50	8.38
0180	Q	8.25	6.77	180272	Q	9.50	8.10
0181	Q	8.75	7.97	180273	Q	9.75	7.97
0183	Q	8.00	6.99	180274	Q	9.50	7.93
0185	Q	8.50	6.73	180276	Q	9.25	7.88
0187	Q	8.00	6.54	180277	Q	9.00	6.93
0188	Q	8.50	7.48	180278	Q	9.00	7.34
0190	Q	8.75	7.32	180279	Q	9.25	7.10
0191	Q	8.25	7.44	180281	Q	9.75	8.62
0192	Q	8.50	7.39	180283	Q	8.75	6.87
0193	Q	8.50	7.72	180286	Q	9.50	8.28
0194	Q	8.50	7.27	180287	Q	9.25	7.23
0195	Q	8.75	7.79	180289	Q	9.00	6.69
0196	Q	8.25	7.07	180291	Q	9.25	7.75
0197	Q	8.75	7.70	180292	Q	9.75	8.89
200	Q	8.00	6.93	180293	Q	9.25	8.18
201	Q	8.00	7.07	180295	Q	9.50	7.94
203	Q	8.00	7.44	180297	Q	9.25	6.83
204	Q	8.00	7.54	180299	Q	9.75	8.10
205	Q	9.00	7.59	180300	Q	9.00	7.72
206	Q	9.00	7.99	180302	Q	9.50	7.65
207	Q	8.00	6.92	180303	Q	9.00	6.52
208	Q	8.00	6.42	180304	Q	9.50	6.99
212	Q	8.00	7.34	180305	Q	8.75	7.06
213	Q	8.00	6.65	180306	Q	9.00	7.01
215	Q	9.00	7.86	180312	Q	9.25	7.34
216	Q	8.00	7.49	180313	Q	8.75	6.77
217	Q	8.00	7.37	180314	Q	9.50	7.76
218	Q	8.00	6.76	180315	Q	9.25	6.86
219	Q	8.00	7.06	180316	Q	9.75	8.69
220	Q	8.00	7.04	180318	Q	9.50	7.87
221	Q	9.00	7.83	180320	Q	9.25	7.30
223	Q	8.00	6.93	180321	Q	8.75	6.85
225	Q	8.25	7.17	180322	Q	9.25	7.61
226	Q	8.00	7.49	180323	Q	9.25	7.21
228	Q	9.00	8.06	180324	Q	9.00	7.01
30	Q	8.00	7.46	180327	Q	9.50	7.46
32	Q	8.25	6.72				
33	Q	8.00	7.49				
35	Q	8.00	6.99				
40	Q	7.50	6.27				
41	Q	8.75	7.62				
42	Q	7.50	7.80				
44	Q	8.75	8.69				
45	Q	7.75	6.13				
47	Q	7.75	6.89				
48	Q	7.00	3.99				
50	Q	8.00	8.34				
52	Q	8.25	8.18				
53	Q	8.30	7.59				

10

CHANDRAKONA VIDYASAGAR MAHAVIDYALAYA, CHANDRAKONA

Page No : 1

Result	SGPA (SEM-6)	CGPA / Failed in Course(s)	Roll	Result	SGPA (SEM-6)	CGPA / Failed in Course(s)
Q	9.25	6.89				
Q	9.50	7.03				
Q	10.0	7.85				
Q	9.25	6.89				
Q	9.50	6.62				
Q	9.50	6.94				
Q	9.00	6.24				
Q	9.25	6.85				
Q	9.00	5.52				
Q	9.25	5.86				
Q	9.25	7.70				
Q	9.00	6.76				
Q	9.25	6.03				
Q	9.25	6.99				
Q	9.50	7.08				
Q	9.50	7.79				
Q	9.00	5.70				
Q	9.00	5.83				
Q	9.00	6.88				
Q	9.00	5.83				
Q	9.00	6.21				
Q	9.00	5.41				
Q	9.00	5.99				
Q	9.00	5.11				
Q	9.00	6.68				
Q	9.00	6.66				
Q	9.00	6.20				
Q	9.00	5.85				
Q	9.25	5.96				
Q	9.00	6.38				
Q	9.00	6.79				
Q	9.00	6.15				
Q	9.00	5.59				
Q	8.25	5.51				
Q	8.75	5.49				
Q	8.75	4.83				
Q	9.00	5.66				
Q	8.75	6.76				
Q	8.75	5.82				
Q	8.75	6.97				
Q	9.00	5.13				
Q	8.25	4.90				
Q	9.00	6.04				
Q	10.0	7.94				
Q	9.25	6.59				
Q	9.25	6.94				



LL CODE : 105

PL NAME : CHANDRAKONA VIDYASAGAR MAHAVIDYALAYA, CHANDRAKONA

Result (SEM-6) CGPA / Failed in Course(s)

Roll

Result

SGPA (SEM-6) CGPA / Failed in Course(s)

Page No : 1

Roll	Result	SGPA (SEM-6)	CGPA / Failed in Course(s)
6105-			
70001	Q	9.25	6.89
70002	Q	9.50	7.03
70005	Q	10.0	7.85
0006	Q	9.25	6.89
0007	Q	9.50	6.62
0008	Q	9.00	6.94
0013	Q	9.25	6.24
3014	Q	9.00	6.85
3016	Q	9.25	5.52
3017	Q	9.00	5.86
3019	Q	9.25	7.70
020	Q	9.25	6.76
022	Q	9.00	6.03
023	Q	9.25	6.89
324	Q	9.25	7.08
325	Q	9.50	7.79
326	Q	9.00	5.79
28	Q	9.00	5.63
30	Q	9.00	5.68
31	Q	9.00	5.68
32	Q	9.00	5.83
33	Q	9.00	5.21
35	Q	9.00	5.41
36	Q	9.00	5.99
9	Q	9.00	6.11
0	Q	9.00	6.68
1	Q	9.00	6.66
2	Q	9.00	5.20
3	Q	9.00	5.85
4	Q	9.25	5.96
5	Q	9.00	6.38
6	Q	9.00	6.79
7	Q	9.00	6.15
8	Q	9.00	5.59
9	Q	8.25	5.51
0	Q	8.75	5.49
1	Q	8.75	4.83
2	Q	9.00	5.66
3	Q	8.75	6.76
4	Q	8.75	5.82
5	Q	8.75	6.97
6	Q	9.00	5.13
7	Q	8.25	4.90
8	Q	9.00	6.04
9	Q	10.0	7.94
0	Q	9.25	6.59
1	Q	9.25	6.94



ULL CODE : 105
 ULL NAME : CHANDRATOMA VIDYASAGAR MAHAVIDYALAYA, CHANDRAKONA
 011
 B.S.C. GENERAL 5TH SEMESTER EXAMINATION 2021.
 I UNDER C.B.S.3
 VIDIYASAGAR UNIVERSITY
 CHANDRAKONA

PROVISIONAL LIST

ROLL NO	Result	CGPA / Failed In	CGPA / Failed In	Page No
1	2	3	4	5
81004	P	8.10	6.54	1
81008	P	9.00	7.54	1
81013	P	7.80	6.79	1
81018	P	7.70	6.80	1
81020	P	8.00	7.21	1
81022	P	8.50	7.38	1
81026	P	8.30	7.02	1
81027	P	8.30	7.02	1



105

CHANDRAKONA VIDYASAGAR MAHAVIDYALAYA, CHANDRAKONA


Page No : 1

Result	SGPA (SEM-6)	CGPA / Failed in Course(s)	Roll	Result	SGPA (SEM-6)	CGPA / Failed in Course(s)
9.25	7.10					
9.25	7.38					
9.00	7.03					
8.75	6.94					
8.75	7.01					
9.00	7.06					
9.25	7.75					
8.50	7.00					
8.50	7.04					
9.00	7.28					
9.00	7.15					
9.50	7.85					
9.00	7.41					
9.75	7.99					
9.50	7.77					
9.00	8.30					
9.25	7.35					
9.50	7.66					
10.0	8.01					
9.75	8.31					
9.00	8.06					
9.00	7.61					
9.00	7.58					
9.50	7.69					
8.75	6.97					
9.50	7.18					
9.00	6.63					
9.50	6.96					
9.00	6.63					
9.50	8.20					
9.00	7.46					



105
 CHANDRAKONA VIDYASAGAR MAHAVIDYALAYA, CHANDRAKONA

Result	SGPA (SEM-6)	CGPA / Failed in Course(s)	Roll	Result	SGPA (SEM-6)	CGPA / Failed in Course(s)
8.80	6.33		1218108-			
8.10	6.93		181189	Q		
8.40	6.84		181164	Q	8.10	6.23
7.70	6.28		181173	Q	8.10	7.03
7.70	6.48		181176	Q	9.40	5.87
8.40	6.23		181184	Q	9.10	6.74
7.40	6.85		181185	Q	8.10	6.44
7.70	6.39		181186	Q	8.70	6.43
8.00	6.82		181187	Q	8.00	6.49
7.70	6.52		181188	Q	8.00	6.49
8.40	7.15		181191	Q	7.40	5.67
7.40	5.77		181194	Q	8.00	6.84
8.00	6.39		181196	Q	8.00	5.93
7.30	6.57		181200	Q	8.40	5.97
8.00	6.54		181208	Q	7.40	6.69
8.30	6.23		181222	Q	8.00	6.11
7.70	6.05		181224	Q	8.00	6.36
8.00	5.93		181225	Q	8.80	6.46
8.70	5.87		181227	Q	8.10	6.03
8.70	5.97		181231	Q	7.70	5.80
8.40	7.02		181236	Q	7.10	5.79
8.00	6.79		181237	Q	8.00	6.44
8.00	6.61		181238	Q	8.00	6.41
8.30	6.05		181240	Q	9.10	7.15
7.70	6.39		181244	Q	8.40	6.16
8.50	6.34		181252	Q	7.80	5.97
8.10	5.95		181254	Q	8.00	5.82
8.20	7.13		181268	Q	7.80	5.82
7.40	6.30		181269	Q	8.00	6.74
8.00	6.25		181274	Q	8.60	6.85
7.70	5.62		181277	Q	8.00	6.30
8.00	6.34		181279	Q	8.70	6.41
7.90	5.97		181281	Q	8.30	6.54
8.10	6.64		181292	Q	7.80	5.90
8.40	6.49		181294	Q	8.40	6.59
7.80	6.51		181296	Q	8.20	6.80
8.00	6.52		181297	Q	7.80	6.23
8.20	6.52		181301	Q	8.00	6.57
8.00	7.05		181302	Q	7.70	6.21
8.10	6.93		181307	Q	7.70	6.26
7.70	5.93		181308	Q	8.30	6.11
7.90	5.75		181309	Q	8.40	6.85
8.40	6.77		181317	Q	8.10	6.13
7.40	5.95		181318	Q	7.40	6.07
8.30	7.44		181322	Q	8.00	5.90
8.30	6.64		181324	Q	7.10	5.77
8.60	7.10		181330	Q	8.00	6.11
8.00	5.90		181332	Q	8.10	6.52
8.00	6.28		181333	Q	8.00	6.67
8.30	7.38		181334	Q	8.10	6.72
8.30	6.80		181335	Q	8.20	6.18
8.30	6.77		181339	Q	7.70	5.64
8.40	6.49		181340	Q	7.70	5.95
8.10	6.98		181342	Q	7.80	6.02
8.00	6.05		181348	Q	7.70	6.46
8.00	5.66		181351	Q	7.70	5.38
8.40	6.93		181359	Q	7.80	5.87
7.40	5.67		181364	Q	8.30	6.82
7.70	6.51		181364	Q	7.80	---



E : 105

E : CHANDRAKONA VIDYASAGAR MAHAVIDYALAYA, CHANDRAKONA

Page No : 2

Result	SGPA (SEM-6)	CGPA / Failed in Course(s)	Roll	Result	SGPA (SEM-6)	CGPA / Failed in Course(s)
Q	8.50	7.16	1216105-			
Q	8.30	7.07	181539	Q	8.00	6.67
Q	8.00	5.85	181541	Q	8.30	6.80
Q	7.70	7.13	181547	Q	8.40	7.15
Q	8.00	7.03	181550	Q	8.00	6.36
Q	8.30	7.25	181551	Q	7.70	6.82
Q	8.00	6.61	181555	Q	8.40	6.13
Q	8.30	6.77	181557	Q	7.70	6.02
Q	8.30	6.52	181561	Q	8.40	6.21
Q	8.70	6.38	181563	Q	8.00	6.75
Q	8.00	6.52	181565	Q	8.10	6.46
Q	8.00	5.90	181566	Q	7.50	5.92
Q	8.40	6.44	181572	Q	7.40	5.92
Q	8.00	6.51	181576	Q	7.70	6.18
Q	8.30	6.15	181579	Q	8.00	6.54
Q	8.00	6.31	181580	Q	8.40	6.75
Q	8.40	6.80	181582	Q	8.30	6.30
Q	8.00	6.02	181589	Q	8.00	6.03
Q	8.00	5.72	181591	Q	8.40	6.44
Q	8.30	6.61	181596	Q	7.70	6.85
Q	8.00	6.97	181597	Q	8.10	6.56
Q	8.70	7.07	181598	Q	8.10	6.74
Q	8.40	6.69	181599	Q	8.00	7.08
Q	8.10	6.69	181602	Q	8.00	6.00
Q	8.30	7.89	181606	Q	8.30	7.34
Q	8.00	6.31	181609	Q	8.30	7.18
Q	8.40	7.52	181611	Q	8.40	6.80
Q	7.40	5.62	181615	Q	8.70	6.87
Q	7.70	6.13	181617	Q	8.00	6.26
Q	8.10	5.95	181618	Q	7.80	5.77
Q	8.70	6.39	181623	Q	8.00	6.70
Q	8.00	5.57	181628	Q	8.30	7.16
Q	8.10	6.70	181629	Q	8.00	6.97
Q	8.10	6.67	181630	Q	8.10	6.36
Q	7.70	6.18	181636	Q	8.00	6.59
Q	8.30	6.90	181637	Q	8.60	7.38
Q	8.00	6.46	181644	Q	8.00	5.87
Q	7.80	6.46	181648	Q	7.50	5.77
Q	7.40	5.98	181650	Q	8.40	6.15
Q	8.00	6.93	181655	Q	8.30	6.39
Q	8.00	7.11	181656	Q	8.30	6.05
Q	8.30	6.52	181659	Q	7.40	5.56
Q	8.30	6.51	181661	Q	7.60	6.03
Q	8.40	6.46	181666	Q	8.30	6.90
Q	7.70	6.15	181671	Q	8.00	5.90
Q	7.40	5.61	181672	Q	8.00	5.89
Q	7.40	6.36	181674	Q	8.30	6.56
Q	7.60	6.13	181683	Q	6.70	5.34
Q	8.30	6.80	181684	Q	8.00	6.07
Q	8.40	7.15	181687	Q	8.00	7.02
Q	8.40	6.59	181689	Q	8.00	5.85
Q	7.70	6.21	181691	Q	7.50	6.21
Q	7.70	6.07	181694	Q	8.30	6.18
Q	7.70	6.57	181696	Q	8.00	6.52
Q	8.30	6.05	181699	Q	8.30	6.45
Q	7.70	5.82	181706	Q	8.40	6.46
Q	8.60	6.48	181709	Q	7.70	6.72
Q	8.10	7.31	181712	Q	8.70	5.79
Q			181716	Q	7.70	6.49
Q			181717	Q		

L CODE : 105

L NAME : CHANDRAKONA VIDYASAGAR MAHAVIDYALAYA, CHANDRAKONA

Page No : 3

Sl	Result	SGPA (SEM-6)	CGPA / Failed in Course(s)	Roll	Result	SGPA (SEM-6)	CGPA / Failed in Course(s)
1105-							
11725	Q	8.40	6.69				
11727	Q	8.60	6.39				
11728	Q	9.00	7.21				
11729	Q	8.30	6.31				
11730	Q	8.00	6.18				
11731	Q	8.30	6.59				
11733	Q	8.00	6.70				
11739	Q	8.40	6.92				
11742	Q	8.30	7.92				
11756	Q	8.30	7.25				
11757	Q	8.30	5.85				
11760	Q	8.00	7.90				
11763	Q	8.40	6.08				
11770	Q	8.00	6.18				
11772	Q	7.60	6.26				
11775	Q	8.60	6.70				
11776	Q	8.30	6.57				
11778	Q	8.00	6.51				
11780	Q	8.00	6.66				
11782	Q	7.70	5.87				
11785	Q	7.70	5.80				
11786	Q	8.40	6.77				
11787	Q	7.70	6.13				
11792	Q	8.10	5.93				
11799	Q	8.80	7.05				
11801	Q	8.30	6.38				
11804	Q	8.70	7.82				
11805	Q	8.00	6.79				
11806	Q	8.00	7.00				
11808	Q	8.30	6.43				
11809	Q	8.00	6.74				
11812	Q	8.00	6.95				
11813	Q	8.00	6.54				
11816	Q	8.40	6.30				
11817	Q	8.40	7.36				
11820	Q	8.10	6.15				
11825	Q	8.40	6.34				
11826	Q	7.30	5.82				
11830	Q	8.40	6.75				
11833	Q	7.70	5.89				
11836	Q	7.80	5.89				
11837	Q	7.80	6.20				
11838	Q	8.40	6.36				
11840	Q	8.30	6.33				

